

FLASH RESTORE

MOISTURIZING & REPAIRING SHAMPOO
FOR DRY HAIR
FR24Q2.FLASHRESTORE



OVERVIEW

FLASH RESTORE restores strength and softness to tired hair. Thanks to the combination of a moisturizing complex with repairing oat peptides, this shampoo repairs and reduces brittle hair. A combination of mild surfactants gently cleanses and respects the scalp. Thanks to its rinse-resistant conditioning power, this shampoo with a gelled pink texture, delicately pearly, makes hair easier to detangle.

Phase	Trade Name	Supplier	European I.N.C.I. Name	Function	%
A	Demineralized water	/	Aqua	/	61,90
	Orange Blossom BioPhytWater	GREENPHYT*	Citrus Aurantium Amara Flower Water, Citric Acid, Sodium Benzoate, Potassium Sorbate	Hydrolate	15,00
	SymSave® H	SYMRISE*	Hydroxyacetophenone	Multifunctional conservation agent	0,75
B	Structure® M3 co-surfactant	NOURYON*	Sodium Hydrolyzed Corn Starch Dodecenylsuccinate	Co-surfactant	5,00
	Elfan® AT 84		Sodium Cocoyl Isethionate	Mild anionic surfactant	5,00
C	Sabosol RF MB	SABO*	Coco-Glucoside, Aqua, Squalane, Sodium Surfactin, Citric Acid, Sodium Benzoate, Potassium Sorbate	Refatting agent	5,00
	Hydrolite® 5 green	SYMRISE*	Pentylene Glycol	Multifunctional conservation agent	3,00
	Sclerothix®	ALCHEMY*	Xanthan Gum, Sclerotium Gum, Algin	Thickener, stabilizer	1,50
D	ImerCare® Opaque	IMERYS*	Kaolin	Opacifier	0,75
E	Symprot'in™ Oat	SYMRISE*	Aqua, Avena Sativa Peptide, 1,2-Hexanediol, Caprylyl Glycol	Capillary actives	1,00
	Hydroviton® Hair		Aqua, Pentylene Glycol, Glycerin, Lactic Acid, Sodium Lactate, Arginine, Sorbitol		1,00
F	SynCrystal® Soft Peach	ECKART*	Synthetic Fluorphlogopite, CI 77891, CI 77491, Tin Oxide	Pearls	0,10

* Please contact us to know in which country we are supplier of

SAFIC' Care is a trademark of SAFIC-ALCAN



PROCESS

PHASE A : Weigh and heat to 60 °C to dissolve SymSave® H.

PHASE B : Weigh and add to phase A with a low agitation to avoid foaming.

PHASE C : Weigh and add to gel the phase AB

PHASE D, E & F : Add phases one by one when T=40 °C

PROPERTIES

APPEARANCE : Pearly pink gel

VISCOSITY : 2250 cps (Brookfield RVDV-I+, 5 rpm, 1 min, spindle 04).

pH : 5,7

