

LOVE SCENT

PERFUMING ROLL-ON

031.F13

BODY

GP2023DACH



ISO 16128



OVERVIEW

This shiny formula is an oily gel with Covapearl® Silver 939 AS suspended thanks to Estogel® Max, a thixotropic oil thickener and suspensive agent. Its perfuming properties are enhanced by Citropol® F, a fragrance fixative. The combination of Saboderm TCC MB, Saboderm PTIS and Neossance™ Squalane creates an ideal rich and spreadable sensorial aspect for this formula. Its orange color is brought by Rhodonite Red, a natural tinted oil.

Phase	Trade Name	Supplier	European I.N.C.I. Name	Function	%
A	Estogel® Max	POLYMEREXPERT*	Castor Oil/IPDI Copolymer, Caprylic/Capric Triglyceride, Hydrogenated Castor Oil/Sebacid Acid Copolymer	Oil thickener	1,00
	Saboderm TCC MB	SABO*	Caprylic/Capric Triglyceride	Emollient	56,00
	Saboderm PTIS		Pentaerythrityl Tetraisostearate		20,00
	Neossance™ Squalane	APRINNOVA*	Squalane		10,00
B	Blue Nordic Amber SO044964	SOZIO*	Parfum	Fragrance	10,00
	Decanox® MTS-50	ADM*	Tocopherol, Glycine Soja Oil	Anti-oxidant	0,40
	Rhodonite Red	BIOLIE*	Helianthus Annuus Seed Oil, Capsicum Annuum Fruit Extract	Natural Coloured Oil	2,00
	Citropol® F	P2 SCIENCE*	Polycitronellol	Fragrance fixative and carrier	0,50
	Covapearl® Silver 939 AS	SENSIENT*	Mica, CI 77891, Triethoxycaprylylsilane	Effect pigment	0,10

* Please contact us to know in which country we are supplier of

PROCESS

PHASE A : Heat up to 95°C under strong stirring (1300 rpm) for 30 minutes until homogeneous.

Let cool down to 30°C under slower stirring.

PHASE B : Stir until homogenous then add it to phase A and homogenize.

PROPERTIES

APPEARANCE : Orange sparkling oily gel.

VISCOSITY : N/C.

pH : N/C.