MADE MATTE

FOAMING PRIMER FR25COSMETAGORA







OVERVIEW

In the spotlight, discover the N°1 special effects product for long-lasting make-up: MAD MATTE, the foam primer that stands up to all kinds of stunts! Enriched with hyaluronic acid, this hybrid skincare and make-up base moisturizes the skin, illuminates the complexion and sets make-up. Its light, airy mousse texture offers a surprisingly refreshing application, like an oasis in the desert. Its soft, light finish smoothes the skin's surface, facilitating make-up application. Used alone, its peachy hue with golden highlights offers an instant glowy healthy-glow effect!

		C 11	E INCLN	E	0/
Phase	Trade Name	Supplier	European I.N.C.I. Name	Function	%
Der	mineralized Water	/	Aqua	/	82,02
	Orange Blossom BioPhytWater	GREENPHYT*	Citrus Aurantium Amara Flower Water, Citric Acid, Sodium Benzoate, Potassium Sorbate	Hydrolate	10,00
A Hy	/drolite [®] 6 green	SYMRISE*	1,2-Hexanediol	Multifunctional	3,00
	SymSave® H		Hydroxyacetophenone	conservation agents	0,50
	Structure [®] M3	NOURYON*	Sodium Hydrolyzed Corn Starch Dodecenylsuccinate	Co-surfactant	1,30
	Butylene Glycol	/	Butylene Glycol	Humectant	2,00
В	Oligo-HA	SOCHIBIOS / HYUNDAI- BIOLAND*	Hyaluronic Acid	Active	0,20
Gum	Acacia Quick Gum Type 8287 RD	NOREVO*	Acacia Senegal Gum	Film former	0,60
SA	AFIC' Care T XCG	SAFIC-ALCAN*	Ceratonia Siliqua Gum, Xanthan Gum, Glucose	Suspension gelling agent	0,10
C Pres	stige [®] Autumn Sky 35502	SUDARSHAN*	Mica, CI 77891, CI 77491, Tin Oxide	Pearls	0,08
D	Citric Acid 10%	/	Aqua, Citric Acid	pH adjuster	0,20

^{*} Please contact us to know in which country we are supplier of



PROCESS

PHASE A : Weigh, stir and heat at $45\,^{\circ}$ C to solubilize SymSave® H and then

turn off heater.

PHASE B: Pre-mix and poor into A.

PHASE C: Add under medium agitation (1000 rpm).

PHASE D: Ajust the pH.

PROPERTIES

APPEARANCE: Transparent liquid with pearlescent.

VISCOSITY: /

pH: 5,1.

