MAKE ME BLUSH

JELLY BLUSH 008(2).Q2



GP2024INCOS



OVERVIEW

This blush will quickly become a staple in your makeup routine thanks to its innovative texture and intense pigmentation. Made with two effective natural texturizers SAFIC' CARE T CK 2 and SAFIC' CARE T XCG, its jelly formula provides a unique sensation. Its vibrant hue is achieved with Azorubin 85% E122, while its fruity fragrance adds a delicate touch thanks to Cherry Malachite. To apply it, simply activate this formula with a bit of water to transform it into an ink-like consistency, or use a water-based primer beforehand.

Phase	Trade Name	Supplier	European I.N.C.I. Name	Function	%
A	Demineralized water	/	Aqua	/	86,50
В	Glycerin		Glycerin	Humectant	7,00
	SAFIC' Care T CK 2	SAFIC-ALCAN	Chondrus Crispus Powder	- Gelling agent	1,50
	SAFIC' Care T XCG		Ceratonia Siliqua Gum, Xanthan Gum		2,50
С	Azorubin 85% E122 (100293)	SYMRISE*	CI 14720, Sodium Sulfate, Sodium Chloride	Color	0,30
D	Hydrolite® 5 Green		Pentylene Glycol	Solubilizer	1,00
	Cherry Malachite (812523)		Parfum	Fragrance	0,20
	Sensicare® C 1090	CHEMIPOL*	Phenoxyethanol, Ethylhexylglycerin	Preservative	1,00

^{*} Please contact us to know in which country we are supplier of

SAFIC' Care is a trademark of SAFIC-ALCAN



PROCESS

PHASE A: Heat water and stop before boiling. Place under stirring.

PHASE B : Pre-mix then add it to phase A and heat at $75\,^{\circ}$ C for 15 minutes

until homogeneous.

PHASE C: Add to phase AB and stir until homogeneous.

PHASE D: Pre-mix then add it to phase ABC and stir until homogeneous.

Complement with water, homogenize then adjust pH to 5,5-6,5. At $75\,^{\circ}$ C pour with a syringe into sticks then place in the fridge for 30

minutes.

PROPERTIES

APPEARANCE : Jelly red

stick.

VISCOSITY: N/A.

pH: N/A.

