

PARISIAN DREAM

OLEODROP SERUM


2322



ISO 16128

FACE

IT2024INCOS



OVERVIEW

Discover this amazing aspect serum with suspended oleo-droplets, crafted to deliver a radiant complexion to your skin. The aqueous serum texture is based on Amaze® XT and features moisturizing properties through PimalHyal™ Ultrafiller and Rosa BioPhyt Water. The colored droplets suspended in this gel are thickened through the rheofluidifying oil thickener EstoGel® Green. The white, red and blue colors are obtained through the SAFIC' Care PP range. Experience the enchanting allure of luminous, hydrated skin through this innovative texture serum.

Phase	Trade Name	Supplier	European I.N.C.I. Name	Function	%
A	EstoGel® Green	POLYMEREXPERT*	Hydrogenated Castor Oil/Sebacic Acid Copolymer	Oil thickener	1,00
	Protachem™ CTG	PROTAMEEN*	Caprylic/Capric Triglyceride	Emollient	4,00
B	Perfume	/	Parfum	Fragrance	0,15
C	SAFIC' Care PP 8200	SAFIC-ALCAN	Mica, Titanium Dioxide	Pearl	0,10
D	SAFIC' Care PP 7336		Mica, Titanium Dioxide, Tin Oxide		0,10
E	SAFIC' Care PP 7504		Synthetic Fluorphlogopite, Diiron Trioxide		0,10
F	Demineralized water	/	Aqua	/	83,00
	Amaze® XT	NOURYON*	Dehydroxanthan Gum	Suspensive agent	0,05
	PimalHyal™ Ultrafiller	GIVAUDAN*	Sodium Acetylated Hyaluronate	Active	0,05
G	Rosa BioPhyt Water	GREENPHYT*	Rosa Damascena Flower Water, Citric Acid, Sodium Benzoate, Potassium Sorbate		5,00
	Sensicare® C 1090	CHEMIPOL*	Phenoxyethanol, Ethylhexylglycerin	Preservative	1,00
H	Hydrolite® 5 Green	SYMRISE*	Pentylene Glycol	Solubilizer	5,00
	Amaze® XT	NOURYON*	Dehydroxanthan Gum	Suspensive agent	0,45

* Please contact us to know in which country we are supplier of

SAFIC' Care is a trademark of SAFIC-ALCAN

PARISIAN DREAM

OLEODROP SERUM


2322



ISO 16128

FACE

IT2024INCOS



OVERVIEW

Discover this amazing aspect serum with suspended oleo-droplets, crafted to deliver a radiant complexion to your skin. The aqueous serum texture is based on Amaze® XT and features moisturizing properties through PimalHyal™ Ultrafiller and Rosa BioPhyt Water. The colored droplets suspended in this gel are thickened through the rheofluidifying oil thickener EstoGel® Green. The white, red and blue colors are obtained through the SAFIC' Care PP range. Experience the enchanting allure of luminous, hydrated skin through this innovative texture serum.

PROCESS

PHASE A : Heat phase A at 80°C for 20 minutes.

PHASE B : Add phase B into phase A and mix.

Split phase AB in 3 equal parts.

PHASE C : Add phase C into a part of phase AB and mix.

PHASE D : Add phase D into a part of phase AB and mix.

PHASE E : Add phase E into a part of phase AB and mix.

PHASE F : Prepare phase F heating it up to 80°C and mixing until the complete hydration of the two polymers.

Pour in order phase ABC, phase ABD and phase ABE into phase F under overhead propeller stirrer at 230-250rpm.

Let the bulk cool down to 30°C.

PHASE G : Add phase G to the bulk under stirring.

PHASE H : Complete with phase H under stirring.

Adjust the final pH around 5,0.

PROPERTIES

APPEARANCE : Transparent gel with blue, red and white microspheres in suspension.

VISCOSITY : 2950 cPs
(Brookfield RVDV-I+, 20 rpm, 1 min, spindle 3).

pH : 5,0.