

# YIN YANG

## DAY & NIGHT UNDEREYE GEL PATCHES

EYES

GP2019SEPAWA

98,5%

of natural origin  
ingredients

ISO 16128



### OVERVIEW

These eye patches are obtained thanks to SAFIC' Care T XCG which gives very cohesive but elastic gels, and which can be molded in the desired shape. In addition to this particular texture, SAFIC' Care T XCG features a very strong suspensive power, needed here to suspend the charcoal powder and the effect pigment. The cocktail of actives Curepassion G, Dextralip® 10C and Permethol® bring all their benefits to the fragile undereye zone.

Phase	Trade Name	Supplier	European I.N.C.I. Name	Function	% Day	% Night
A	Demineralized water	/	Aqua	/	92,47	77,00
B	Glycerin		Glycerin	Humectant	3,00	3,00
	SAFIC' Care T XCG	SAFIC-ALCAN	Ceratonia Siliqua Gum, Xanthan Gum	Gelling agent	1,50	1,50
C	Demineralized water	/	Aqua	/		10,00
	Curepassion G	ICHIMARU PHARCOS*	Aqua, Butylene Glycol, Passiflora Edulis Fruit Extract	Active	2,00	
	Dextralip® 10C	PKC*	Sodium Dextran Sulfate			1,00
	Permethol®	SEPHYTAL*	Sodium Methylesculetin Acetate			0,50
D	A-Leen® 5	MINASOLVE*	Pentylene Glycol	Solubilizer		5,00
	Sensicare® C 1090	CHEMIPOL*	Phenoxyethanol, Ethylhexylglycerin	Preservative	1,00	1,00
	Salixin® Organic Charcoal Powder	SALIXIN*	Charcoal Powder	Color		1,00
	Prestige® Sparkling Silver (35178)	SUDARSHAN*	Mica, CI 77891	Effect pigment	0,03	

\* Please contact us to know in which country we are supplier of

SAFIC' Care is a trademark of SAFIC-ALCAN

### PROCESS

PHASE A : Heat up to 85°C.

PHASE B : Pre-mix then add it to phase A and stir for 15 min at 85°C.

PHASE C : Heat up to 60°C and stir until dissolved. Add it to phase AB and homogenize.

PHASE D : Pre-mix then add it to phase ABC and homogenize.

Keep heating at 85°C for 5 min under stirring and then pour into molds.

Let cool to room temperature.

### PROPERTIES

APPEARANCE : White & black patches.

VISCOSITY : N/A.

pH : N/C.